### ANTELOPE VALLEY AIR QUALITY MANAGEMENT DISTRICT

### **RULE 3000 -- GENERAL**

(Adopted: 10/08/93; Amended: 08/11/95; Amended: 03/17/98)

# (A) Purpose

- (1) The purpose of Regulation XXX is to implement the operating permit requirements of Title V of the Federal Clean Air Act (42 U.S.C. §§7661-7661f). This rule is also intended to comply with the requirements promulgated by the USEPA and set forth in 40 C.F.R. Part 70.
- (2) Nothing in this regulation shall be interpreted to relieve a person from obtaining permits required under applicable Federal law or regulation, State law or regulation, or other District Rules or Regulations.

# (B) Applicability

- (1) The provisions of this regulation shall apply to:
  - (a) Any Major Facility; and
  - (b) Any Major Facility which is subject to a standard, limitation or other requirement under 42 U.S.C. §7411, Standards of Performance for New Stationary Sources (Federal Clean Air Act §111); or any Facility subject to a regulation promulgated pursuant to that section, published after July 21, 1992 that the USEPA does not exempt from the requirements of Title V of the Federal Clean Air Act (42 U.S.C. §§7661-7661f); and
  - (c) Any Major Facility which is subject to a standard or other requirement under 42 U.S.C. §7412, Hazardous Air Pollutants (Federal Clean Air Act §112); or any Facility subject to a regulation promulgated pursuant to that section, published after July 21, 1992 that the USEPA does not exempt form the requirements of Title V of the Federal Clean Air Act (42 U.S.C. §7661-7661f); and
  - (d) Any Acid Rain Facility; and
  - (e) Any Solid Waste Incineration Unit subject to a performance standard promulgated pursuant to 42 U.S.C. §7429, Solid Waste Combustion (Federal Clean Air Act §129); and

AVAQMD Rule 3000 3000-1

(f) Any source in a category as designated by the USEPA pursuant to 40 C.F.R. §70.3(a)(5).

#### Exemptions (C)

- (1) The provisions of this regulation shall not apply to:
  - (a) Any facility that would be required to obtain a permit solely because it is subject to:
    - (i) Standards of Performance for New Residential Wood Heaters pursuant to 40 CFR 60, subpart AAA.
    - National Emissions Standard for Hazardous Air Pollutants for (ii) Asbestos pursuant to 40 CFR 61, subpart M, section 61.145, Standard for Demolition and Renovation.
    - The requirements of 42 U.S.C. §7412(r), Prevention of Accidental (iii) Releases (Federal Clean Air Act §112(r)).
  - (b) Any Facility that is not a Major Facility due to compliance with Federally Enforceable emission limitations which limit the Potential to Emit for such Facility and which is not otherwise subject to this Regulation.

#### (D) Effective Date

**(1)** The requirements of this Regulation shall become effective on March 28, 1997.

[SIP: Not SIP. Title V Program Amendment submitted on \_\_\_\_\_\_, Title V Program Interim approval 2/27/97 62 FR 8878.]

3000-2 **AVAQMD Rule 3000**